

Pet Light

MARCEL WANDERS



Uhuh, Purr, Noot Noot, & Grwoww are a series of table lamps by Marcel Wanders. Each pet has its very own personality and characteristics, but they're all rounded, endearing and elegant. The Pet Lights find their place in any kind of interior and space. With frosted glass bodies and heads decorated with touches of ceramic gold, they emit a heart-warming glow you can dim to match the hour of the day. Choose your favourite character, penguin, rabbit, tiger and an owl, and enjoy a glowing pet with heaps of charm!

Detailing



Gold plated ceramic features bring the animals to life, accessorizing them with precious jewels that complement their snowy bodies.

Colours

Matt white with
golden elements

Pet Light / Grwoww

Dimensions

23cm | 9.1"



23cm | 9.1"



24cm | 9.5"



Product

WIDTH 23cm | 9.1"
HEIGHT 17cm | 6.7"
DEPTH 24cm | 9.4"
WEIGHT NETTO 1.3kg | 2.87lbs

Packaging

WIDTH 29.7cm | 11.7"
HEIGHT 39.7cm | 15.6"
CUBAGE 0.04m³ | 1.25ft³
LENGTH 30cm | 11.8"
WEIGHT 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

220-240V

FREQUENCY

50/60

MAX POWER CONSUMPTION

4W

LAMPHOLDER

G9

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

PLUG TYPE

Europlug (Type-C)

CABLE LENGTH

250cm | 98.4"

SWITCH

In line push button dimmer switch

COLOUR TEMPERATURE

2700 K (max)

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

250 lm

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

*Technical CU***MATERIAL**

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

100-130V

FREQUENCY

50/60

MAX POWER CONSUMPTION

4W

LAMPHOLDER

G9

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

PLUG TYPE

US plug (Type A)

CABLE LENGTH

250cm | 98.4"

SWITCH

In line push button dimmer switch

COLOUR TEMPERATURE

2700 K (max)

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

250 lm


DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

Pet Light / Noot Noot (Penguin)

Dimensions



Product

WIDTH 18cm | 7.1"
HEIGHT 33cm | 13"
DEPTH 20cm | 7.9"
WEIGHT NETTO 1.5kg | 3.31lbs

Packaging

WIDTH 31cm | 12.2"
HEIGHT 31.5cm | 12.4"
CUBAGE 0.04m³ | 1.41ft³
LENGTH 41cm | 16.1"
WEIGHT 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

COLOUR TEMPERATURE

2700 K (max)

LIGHT DIRECTION

All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

1

FREQUENCY

50/60

LAMPHOLDER

G9

LIFETIME

50000 hours

PLUG TYPE

Europlug (Type-C)

SWITCH

In line push button dimmer switch

CRI

80

LIGHT OUTPUT

250 lm

See last page for more information about the dimming possibilities.

*Technical CU***MATERIAL**

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

100-130V

FREQUENCY

50/60

MAX POWER CONSUMPTION

4W

LAMPHOLDER

G9

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

PLUG TYPE

US plug (Type A)

CABLE LENGTH

250cm | 98.4"

SWITCH

In line push button dimmer switch

COLOUR TEMPERATURE

2700 K (max)

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

250 lm


DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

Pet Light / Purr (rabbit)

Dimensions



Product

WIDTH 21cm | 8.3"
HEIGHT 27cm | 10.6"
DEPTH 25cm | 9.8"
WEIGHT NETTO 1.5kg | 3.31lbs

Packaging

WIDTH 31cm | 12.2"
HEIGHT 31.5cm | 12.4"
CUBAGE 0.04m³ | 1.41ft³
LENGTH 41cm | 16.1"
WEIGHT 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE

220-240V

MAX POWER CONSUMPTION

4W

RECOMMENDED LIGHTSOURCE

LED only

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

COLOUR TEMPERATURE

2700 K (max)

LIGHT DIRECTION

All directions

DIMMING & LIGHTING CONTROL

Dimmer on power cord

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

1

FREQUENCY

50/60

LAMPHOLDER

G9

LIFETIME

50000 hours

PLUG TYPE

Europlug (Type-C)

SWITCH

In line push button dimmer switch

CRI

80

LIGHT OUTPUT

250 lm

See last page for more information about the dimming possibilities.

*Technical CU***MATERIAL**

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

100-130V

FREQUENCY

50/60

MAX POWER CONSUMPTION

4W

LAMPHOLDER

G9

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

PLUG TYPE

US plug (Type A)

CABLE LENGTH

250cm | 98.4"

SWITCH

In line push button dimmer switch

COLOUR TEMPERATURE

2700 K (max)

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

250 lm


DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

Pet Light / Uhuh (owl)

Dimensions



Product

WIDTH 23cm | 9.1"
HEIGHT 21cm | 8.3"
DEPTH 24cm | 9.4"
WEIGHT NETTO 1.5kg | 3.31lbs

Packaging

WIDTH 31cm | 12.2"
HEIGHT 31.5cm | 12.4"
CUBAGE 0.04m³ | 1.41ft³
LENGTH 41cm | 16.1"
WEIGHT 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

220-240V

FREQUENCY

50/60

MAX POWER CONSUMPTION

4W

LAMPHOLDER

G9

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

PLUG TYPE

Europlug (Type-C)

CABLE LENGTH

250cm | 98.4"

SWITCH

In line push button dimmer switch

COLOUR TEMPERATURE

2700 K (max)

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

250 lm

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

*Technical CU***MATERIAL**

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

100-130V

FREQUENCY

50/60

MAX POWER CONSUMPTION

4W

LAMPHOLDER

G9

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

PLUG TYPE

US plug (Type A)

CABLE LENGTH

250cm | 98.4"

SWITCH

In line push button dimmer switch

COLOUR TEMPERATURE

2700 K (max)

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

250 lm

DIMMING & LIGHTING CONTROL

Dimmer on power cord

See last page for more information about the dimming possibilities.

Dimming & Lighting Control

Dimmer on power cord

Compatible models: Grwoww (Tiger) CE, Grwoww (Tiger) CU, Noot Noot (Penguin) CE, Noot Noot (Penguin) CU, Purr (rabbit) CE, Purr (rabbit) CU, Uhuh (owl) CE, Uhuh (owl) CU
